Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	813	370/445.ccls.	US-PGPUB; USPAT	OR	ON	2007/07/09 10:18
S2	1323	370/445.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 10:21
S3	261	CSMA\$1CA and (time adj slot)and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 10:55
S4	2089	370/445,458.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 10:24
S5	35	S3 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 10:24
S7	15	CSMA\$1CA and ((allocat\$4 or assign\$3 or distribut\$3)near8(time adj slot) same (client or (access adj point)))and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 15:55
S8	15	("20020181613"   "20030002572"   "20030006881"   "20030006884"   "20030038710"   "20030095036"   "5491463"   "5544161"   "5553072"   "5960001"   "6014087"   "6522650"   "6577630"   "6760308"   "6877043").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/09 13:53

						l
S9	109	("20010053699"   "4494192"   "4617656"   "4736371"   "4742357"   "4747130"   "4910521"   "5034961"   "5068916"   "5231634"   "5233604"   "5241542"   "5317566"   "5392450"   "5412654"   "5424747"   "5502722"   "5517491"   "5533026"   "5555425"   "5555540"   "5572528"   "5615212"   "5618045"   "5621732"   "5623495"   "5627976"   "5680392"   "5644576"   "5652751"   "5680392"   "5684794"   "5706428"   "5717689"   "5745483"   "5748624"   "5774876"   "5787080"   "5787076"   "5787080"   "5787076"   "5787080"   "5787076"   "582309"   "5805593"   "5805842"   "5805977"   "5809518"   "582309"   "5844905"   "5845097"   "5857084"   "5870350"   "581372"   "5886992"   "5896561"   "5903559"   "5909651"   "5936953"   "5943322"   "5987011"   "5987033"   "5991279"   "6016311"   "6028853"   "6029074"     "6029217"   "6034542"   "6044062"   "6047330"   "6052594"     "6078566"   "6088337"   "6097704"   "6104712"   "6108316"   "6108738"   "6115580"   "6122690"   "6130881"   "6132306"   "6122690"   "6130881"   "6132306"   "6122690"   "6178337"   "6192053"   "6192230"   "6249516"   "6240294"   "6246875"   "6249516"   "6275707"   "6285892"	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/09 14:03
		"6304556"   "6327300"   "6349091"   "6349210"   "6359872"   "6747959"   "6807165").PN.				
S10	128	CSMA\$1CA and ((allocat\$4 or assign\$3 or distribut\$3)near8(time adj slot))and @ad<"20040115"	US-PGPUB; USPAT	OR	ON	2007/07/18 16:10
S11	. 4	CSMA\$1CA and (start adj time adj slot)and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 15:27

S12	7	("4789983"   "5297144"   "5390165"   "5644576"   "5970062"	US-PGPUB; USPAT;	OR	ON	2007/07/09 15:35
S13	27	"5973609"   "6014406").PN.  CSMA\$1CA and (time adj slot) near10 (client Access adj point)and @ad<"20040115"	USOCR US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 16:02
S14	0	CSMA\$1CA and non\$1collid\$3 near8 (time adj slot) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 16:03
S15	6	non\$1collid\$3 near8 (time adj slot) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 16:03
S16	69	CSMA\$1CA and ((allocat\$4 or assign\$3 or distribut\$3)near8(time adj slot)) and (access adj point)and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 13:56
S17	91	CSMA\$1CA and ((allocat\$4 or assign\$3 or distribut\$3)same(time adj slot)) and (access adj point)and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 15:38

·	<del></del>		1		<del></del>	· · · · · · · · · · · · · · · · · · ·
S18		("4270211"   "4466060"   "4661902"   "4677617"   "4771448"     "4789983"   "5088032"   "5130987"   "5142533"   "5231634"     "5319641"   "5394436"   "5408506"   "5416473"   "5502724"     "5519717"   "5548578"   "5600635"   "5638371"   "5652751"     "5673031"   "5682382"   "5687015"   "5706291"   "5721725"     "5737318"   "5748619"   "5752193"   "5771462"   "5918016"     "5968133"   "5970062"   "6026303"   "6108314"   "6178323"     "6229810"   "6363062"   "6400702").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/10 15:32
S19		CSMA\$1CA and ((unique differ\$3 particular)same(time adj slot) same transmit\$4 near8 client )and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 15:41
S20	26	CSMA\$1CA and ((time adj slot) same transmit\$4 same client )and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 15:42
S2Î	1	("5638371").PN.	US-PGPUB; USPAT	OR	OFF	2007/07/12 15:25
S22	5	((allocat\$4 or assign\$3 or distribut\$3)near8(time adj slot)same (priority near5 center))and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	ON	2007/07/12 16:05
S23	0	(time adj slot)same (equally adj displac\$3 near5 center)and @ad<"20040115"	IBM_TDB  US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 16:03

	· · · · · · · · · · · · · · · · · · ·		1	·		· · · · · · · · · · · · · · · · · · ·
S24	2	(time adj slot)same (displac\$3 near5 center)and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 16:03
S25	124	(allocat\$4 or assign\$3 or distribut\$3) same (time adj slot) near5 center and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 16:24
S26	1	(allocat\$4 or assign\$3 or distribut\$3) same (time adj slot) near5 center same priority and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 16:09
S27	0	(allocat\$4 or assign\$3 or distribut\$3) same (time adj slot) near5 (equally adj center) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 16:24
S28	0	(allocat\$4 or assign\$3 or distribut\$3) same (time adj slot) same (equally adj center) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON .	2007/07/12 16:24
S29	12	(allocat\$4 or assign\$3 or distribut\$3) same (time adj slot) and (equally near8 center) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 16:25
S30	7	("5420864"   "5745694"   "5875186"   "6115390"   "6370153"   "6469997"   "6493335").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/16 10:02

·			,			·r
S31	<b>3</b>	CSMA\$1CA and (expand\$3 extend\$3 )near5(time adj slot)same collision and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 11:07
S32	0	CSMA\$1CA and expand\$3 near5(time adj slot)same collision and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 11:07
S33	1	CSMA\$1CA and expand\$3 same(time adj slot)same collision and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/07/16 13:01
S34	. 0	CSMA\$1CA and expand\$3 near5(time adj slot) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 11:20
S35		expand\$3 near5(time adj slot) same collision and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 11:21
S36	0	expand\$3 near10(time adj slot) same collision and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 11:21
S37	255	expand\$3 near10(time adj slot) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 11:21

S38	214	expand\$3 near6(time adj slot) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	ON	2007/07/16 11:21
			DERWENT; IBM_TDB			
S39	_ 29	collision and expand\$3 near6(time adj slot) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 11:22
S40	21	wireless and collision and expand\$3 near6(time adj slot) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 11:22
S41	7421	expand\$3 same(time adj slot list) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:02
S42	2676	expand\$3 near6(time adj slot list)and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:04
S43		expand\$3 near6(time adj slot adj list)and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:03
S44	0	expand\$3 same (time adj slot adj list) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:03

S45	8	expand\$3 near6(time adj slot list) same collision and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/07/18 11:55
S46	0	expand\$3 near6(time adj slot) same collision and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:05
S47	0	expand\$3 near10(time adj slot) same collision and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:05
S48	255	expand\$3 near10(time adj slot) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON <sup>.</sup>	2007/07/16 13:06
S49	0	expand\$3 near10(time adj slot)and CSMA\$1CA and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:06
S50	10	expand\$3 near10(time adj slot)and CSMA and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:33
S51	0	replicat\$3 near10(time adj slot)and CSMA\$1CA and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 13:33

S52	1	replicat\$3 near10(time adj slot)and CSMA and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/07/16 13:33
S53	666	CSMA\$1CA and creat\$3 ((bigger larger) adj time adj slot) same pool same class and @ad<"20040115"	US-PGPUB; USPAT	OR	ON	2007/07/16 14:06
S54	2092	370/445,458.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 14:07
S55	666	CSMA\$1CA and creat\$3 ((bigger larger) adj time adj slot) same pool same class and @ad<"20040115" and S54	US-PGPUB; USPAT	OR	ON	2007/07/16 14:08
S56	815	370/445.ccls.	US-PGPUB; USPAT	OR	ON	2007/07/16 14:08
S57	666	CSMA\$1CA and creat\$3 ((bigger larger) adj time adj slot) same pool same class and @ad<"20040115" and S56	US-PGPUB; USPAT	OR	ON	2007/07/16 14:08
S58	. 0	CSMA\$1CA and creat\$3 near6 ((bigger larger ) adj time adj slot) same pool same class and @ad<"20040115" and S56	US-PGPUB; USPAT	OR	ON	2007/07/16 14:09
S59	0	CSMA\$1CA and creat\$3 near10 ((bigger larger ) adj time adj slot) same pool same class and @ad<"20040115" and S56	US-PGPUB; USPAT	OR	ON	2007/07/16 14:10
S60	0	CSMA\$1CA and creat\$3 near10 ((bigger larger ) adj time adj slot) same pool same class and @ad<"20040115"	US-PGPUB; USPAT	OR	ON	2007/07/16 14:10
S61	0	CSMA\$1CA and creat\$3 near10 ((bigger larger ) adj time adj slot) and @ad<"20040115"	US-PGPUB; USPAT	OR	ON	2007/07/16 14:11
S62	0	creat\$3 near10 ((bigger larger ) adj time adj slot) and @ad<"20040115"	US-PGPUB; USPAT	OR	ON	2007/07/16 14:14
S63	0	creat\$3 near10 ( larger adj time adj slot) and @ad<"20040115"	US-PGPUB; USPAT	OR	ON	2007/07/16 14:14
S64	0	creat\$3 same ( larger adj time adj slot) and @ad<"20040115"	US-PGPUB; USPAT	OR	ON	2007/07/16 14:15

S65	0	CSMA\$1CA and pool near10 (time adj slot) same class and @ad<"20040115"	US-PGPUB; USPAT	OR	ON	2007/07/17 08:50
S66	. 0	CSMA\$1CA and pool near10 (time adj slot) same class and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 14:18
S67	0	CSMA\$1CA and pool same (time adj slot) same class and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 14:18
S68	8	CSMA\$1CA and pool and (time adj slot) same class and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 10:19
S69	8	display\$3 near8 (time adj slot) near10 (euqal\$3 center) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 15:52
S70	0	(display\$3 arrang\$3) near6 (time adj slot) near6 (euqal\$3 adj center) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 15:53
S71	0	(display\$3 arrang\$3) near6 (time adj slot) same (euqal\$3 adj center) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/07/16 15:53

S72	0	(display\$3 arrang\$3) near6 (time adj slot) same (from adj center) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 15:54
S73	0	(display\$3 arrang\$3) same (time adj slot) same (from adj center) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 15:54
S74	183	(display\$3 arrang\$3) same (time adj slot) same center and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/16 15:54
S75	72	(display\$3 arrang\$3) near8 (time adj slot) same center and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/07/16 15:55
S76	2291	CSMA\$1CA and high\$2priority same low\$2 priority same (time adj slot) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 08:52
S77	0	CSMA\$1CA and high\$2priority same low\$2priority same (time adj slot) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 08:52
S78	129283	CSMA\$1CA and high\$2 priority same low\$2 priority same (time adj slot) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 08:53

<del></del>			1	· · · · · · · · · · · · · · · · · · ·	r	<del></del>
S79	128851	CSMA\$1CA and high\$2 priority same low\$2 priority with(time adj slot) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 08:54
S80	42382	CSMA\$1CA and high\$2 priority near10 low\$2 priority with(time adj slot) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 08:54
S81		CSMA\$1CA and (higher adj priority) near10 (lower priority) with(time adj slot) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:01
S82	0	CSMA\$1CA and (correspond\$3 place\$3 assign\$3) near10 (higher adj priority) same (lower adj priority) with(time adj slot) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:03
S83	4	CSMA\$1CA and (higher adj priority) same (lower adj priority) with(time adj slot) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:03
S84	49495	CSMA\$1CA and client same select with random near "10"(time adj slot) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 10:22
S85	0	CSMA\$1CA and client same select with random near10 (time adj slot) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 10:23

S86	7	CSMA\$1CA and client same random near10 (time adj slot) and	US-PGPUB; USPAT;	OR .	ON	2007/07/17 10:25
		@ad<"20040115"	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S87	- 0	select with random near10 (time adj slot)same client and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 10:26
S88	7	CSMA and random near10 (time adj slot)same client and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 10:26
S89	100	CSMA\$1CA and diagram with (access adj point) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 16:22
S90	0	CSMA\$1CA and diagram with (access adj point) and allocator and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 14:13
S91	0	CSMA\$1CA and (access adj point) same allocator and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 14:13
S92	2	CSMA\$1CA and (access adj point) and allocator and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/07/17 14:21

665			I			
S93	5	CSMA\$1CA and (access adj point) with sensor and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/07/17 14:23
S94	7	CSMA\$1CA and (access adj point) same sensor and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 14:27
S95	9	CSMA\$1CA and (access adj point) near10 detect\$3 near5 client and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	.OR	ON	2007/07/17 14:28
S96	1353	diagram with (access adj point) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 16:22
S97	227	wlan and (block adj diagram) with (access adj point) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/07/17 16:23
S98	0	expand\$3 near6(time adj slot adj list) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/07/18 11:55
S99	0	expand\$3 near10(time adj slot adj list) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 11:56

S10 0	0	expand\$3 with(time adj slot adj list) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 11:56
S10 1	0	expand\$3 same(time adj slot adj list) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 11:56
S10 2	12	expand\$3 and (time adj slot adj list) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/07/18 12:06
S10 3	3	expand\$3 with (time adj slot adj (list\$3 number name indication roster roll register) ) and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 12:09
S10 4		CSMA\$1CA and (time adj slot)same pool same class and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 16:11
S10 5	1	CSMA\$1CA and (time adj slot)same pool and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 16:12
S10 6		(time adj slot)same pool same class and @ad<"20040115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 16:12